

MATERIAL SAFETY DATA SHEET

MSDS Name: DOUBLE BUBBLE RED PACKAGE (NON-SAG)
MSDS Number: 16580#1
Version Number: F
MSDS Date: JUN-20-2005
Page Number: 1 of 7

SECTION I - PRODUCT AND COMPANY INFORMATION

Product Name: DOUBLE BUBBLE RED PACKAGE (NON-SAG)
Hazard Rating: Health: 2 Fire: 1 Reactivity: 0 PPI:

Company Identification: ROYAL ADHESIVES & SEALANTS LLC
600 CORTLANDT STREET
BELLEVILLE NJ 07109-3384

Contact: BRUCE WEINMAN
Telephone/Fax: (973) 751-3000 (973) 751-8407
Emergency Phone (24 Hour): ENVIRONMENTAL SPECIALIST
(973) 751-3000
Chemtrec (24 Hour): (800) 424-9300
Preparer: B. WEINMAN
ENVIRONMENTAL SPECIALIST

Product Class: EPOXY
Trade Name: NON-SAG EXTRA FAST SETTING
Product Code: (04008) PART A

SECTION II - INGREDIENT AND HAZARD INFORMATION

Hazardous Ingredients	CAS Number
EPOXY RESIN	25068-38-6
AMORPHOUS SILICA	TRADE SECRET
POLYDIMETHYLSILOXANE	TRADE SECRET

*** ALL Ingredients in this product are listed in the T.S.C.A. Inventory

SECTION III - HAZARDS IDENTIFICATION

EYE CONTACT:

PRODUCT IS MODERATELY IRRITATING TO THE EYES.

SKIN CONTACT:

PRODUCT IS MODERATELY IRRITATING TO THE SKIN. MAY CAUSE SKIN SENSITIZATION. SKIN SENSITIZATION MAY BE EVIDENCED BY RASHES,

MATERIAL SAFETY DATA SHEET

MSDS Name: DOUBLE BUBBLE RED PACKAGE (NON-SAG)

MSDS Number: 16580#1

Version Number F

MSDS Date: JUN-20-2005

Page Number: 2 of 7

ESPECIALLY HIVES.

INHALATION:

BECAUSE OF ITS LOW VOLATILITY THIS PRODUCT IS NOT LIKELY TO BE AN INHALATION HAZARD.

INGESTION:

THIS PRODUCT IS CONSIDERED TO HAVE A LOW ORDER OF ACUTE ORAL TOXICITY.

AGGRAVATED MEDICAL CONDITIONS:

PREEXISTING SKIN AND EYE DISORDERS MAY BE AGGRAVATED BY EXPOSURE TO THIS PRODUCT. PREEXISTING SKIN OR LUNG ALLERGIES MAY INCREASE THE CHANCE OF DEVELOPING INCREASED ALLERGY SYMPTOMS FROM EXPOSURE TO THIS PRODUCT.

HEALTH HAZARD INFORMATION:

CARCINOGENICITY:

THE MATERIALS USED IN THE MANUFACTURE OF THIS PRODUCT ARE NOT FOUND ON THE OSHA, IARC OR NTP LISTS OF CARCINOGENS.

OTHER HEALTH INFORMATION (EPOXY RESIN):

CHRONIC STUDIES: RECENT 2 YEAR BIOASSAYS IN MICE EXPOSED BY THE DERMAL ROUTE TO EPOXY RESIN, THE DIGLYCIDYL ETHER OF BISPHENOL A (DGEBA), OR TO RESINS PREDOMINANTLY OF DGEBA HAVE YIELDED VERY LIMITED EVIDENCE OF WEAK CARCINOGENICITY. DGEBA IS A COMPONENT OF THE RESIN IN THIS PRODUCT. THE AUTHORS OF THIS WORK CONCLUDED THAT THE RENAL TUMOR EVIDENCE WITH THIS RESIN "WAS OF NO BIOLOGICAL SIGNIFICANCE" AND THAT THE RESIN "IS NOT A SYSTEMIC CARCINOGEN WHEN APPLIED TO THE DORSAL SKIN OF CF 1 MICE." IARC CONCLUDED THAT DGEBA WAS NOT CLASSIFIABLE AS A CARCINOGEN (IARC GROUP 3) BASED ON THE FOLLOWING: HUMAN AND ANIMAL EVIDENCE BOTH INADEQUATE.

MUTAGENICITY: BOTH THE RESIN AND DGEBA, HAVE PROVED TO BE INACTIVE WHEN TESTED BY IN VIVO MUTAGENICITY ASSAYS. THEY HAVE BOTH SHOWN ACTIVITY BY THE IN VITRO MICROBIAL MUTAGENICITY SCREENING AND HAVE BOTH PRODUCED CHROMOSOMAL ABERRATIONS IN CULTURED RAT LIVER CELLS. THE SIGNIFICANCE OF THIS INFORMATION TO MAN IS UNKNOWN.

SECTION IV - FIRST AID MEASURES

EYE CONTACT:

FLUSH EYES WITH PLENTY OF WATER FOR 15 MINUTES WHILE HOLDING EYELIDS OPEN. GET IMMEDIATE MEDICAL ATTENTION.

SKIN CONTACT:

MATERIAL SAFETY DATA SHEET

MSDS Name: DOUBLE BUBBLE RED PACKAGE (NON-SAG)
MSDS Number: 16580#1
Version Number F
MSDS Date: JUN-20-2005
Page Number: 3 of 7

REMOVE CONTAMINATED CLOTHING AND WIPE EXCESS FROM SKIN. FLUSH SKIN WITH WATER. FOLLOW BY WASHING WITH SOAP AND WATER. IF IRRITATION OCCURS, GET MEDICAL ATTENTION. LAUNDRER CONTAMINATED CLOTHING. DESTROY LEATHER ARTICLES INCLUDING SHOES.

INHALATION:

REMOVE PERSON TO FRESH AIR AND PROVIDE OXYGEN IF BREATHING IS DIFFICULT. GET IMMEDIATE MEDICAL ATTENTION.

INGESTION:

DO NOT INDUCE VOMITING. GET MEDICAL ADVICE.

SECTION V - FIRE-FIGHTING MEASURES

Flammability Class IIIIB
Flash Range: Not Available
Pensky-Martens Closed Cup ASTM D 93
375F
Explosive Range: Not Available

FIRE-FIGHTING MEASURES:

WATER FOG, DRY CHEMICAL, FOAM, CARBON DIOXIDE.
DO NOT ENTER CONFINED FIRE SPACE WITHOUT FULL BUNKER GEAR (HELMET WITH FACE SHIELD, BUNKER COATS, GLOVES AND RUBBER BOOTS), INCLUDING A POSITIVE PRESSURE NIOSH APPROVED SELF-CONTAINED BREATHING APPARATUS (SCBA).
COOL FIRE EXPOSED CONTAINERS WITH WATER.

SECTION VI - ACCIDENTAL RELEASE MEASURES

SPILLS:

ABSORB LIQUID MATERIAL AND PLACE IN CONTAINER FOR DISPOSAL. COMPLY WITH LOCAL, STATE, AND FEDERAL EPA REGULATIONS.

SECTION VII - HANDLING AND STORAGE

STORAGE CONDITIONS:

STORE IN A COOL, DRY PLACE. KEEP AWAY FROM OPEN FLAMES AND HIGH TEMPERATURES.

SECTION VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

ACGIH TLV ACGIH TLV-C ACGIH STEL OSHA STEL OSHA PEL

MATERIAL SAFETY DATA SHEET

MSDS Name: DOUBLE BUBBLE RED PACKAGE (NON-SAG)

MSDS Number: 16580#1

Version Number F

MSDS Date: JUN-20-2005

Page Number: 4 of 7

EPOXY RESIN

N/est	N/est	N/est	N/est	N/est
-------	-------	-------	-------	-------

AMORPHOUS SILICA

15.0000 mg/M3	N/est	N/est	N/est	15.0000 mg/M3
---------------	-------	-------	-------	---------------

POLYDIMETHYLSILOXANE

N/est	N/est	N/est	N/est	N/est
-------	-------	-------	-------	-------

PERSONAL PROTECTIVE EQUIPMENT:

IN THE ABSENCE OF PROPER ENVIRONMENTAL CONTROL OR VENTILATION, WEAR A RESPIRATOR APPROVED BY NIOSH/MSHA WHENEVER EXPOSED TO FUMES OR VAPORS. COMPLY WITH OSHA 1910.134 (CFR).

SELF-CONTAINED BREATHING APPARATUS IN HIGH CONCENTRATIONS.

LOCAL EXHAUST IS RECOMMENDED.

USE CHEMICAL RESISTANT PROTECTIVE GLOVES, CHEMICAL SPLASH GOGGLES.

CHEMICAL RESISTANT PROTECTIVE CLOTHING TO MINIMIZE EXPOSURE;

CHEMICAL SPLASH APRON, FULL FACE SHIELD. EYE WASH STATION AND

SAFETY SHOWER SHOULD BE AVAILABLE FOR EMERGENCY USE.

SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

Form:	LIQUID
Appearance/Color:	BRIGHT PINK
Odor:	MILD
Boiling Range:	Not Available
Vapor Pressure (mmHg):	Not Available
Melting Point:	Not Applicable
Evaporation Rate:	Unavailable

% Volatile	Not Available
------------	---------------

Specific Gravity:	1.19
-------------------	------

SECTION X - STABILITY AND REACTIVITY

Stability:	This product is stable
------------	------------------------

Hazardous Polymerization:	Hazardous polymerization will not occur
---------------------------	---

REACTIVITY:

INCOMPATIBILITY:

OXIDIZING AGENTS, STRONG MINERAL ACIDS, STRONG LEWIS ACIDS, BASES, MERCAPTANS, AMINES.

MATERIAL SAFETY DATA SHEET

MSDS Name: DOUBLE BUBBLE RED PACKAGE (NON-SAG)
MSDS Number: 16580#1
Version Number F
MSDS Date: JUN-20-2005
Page Number: 5 of 7

CONDITIONS TO AVOID:
HIGH TEMPERATURES.
HAZARDOUS DECOMPOSITION PRODUCTS:
CARBON MONOXIDE, CARBON DIOXIDE, ALDEHYDES, ACIDS.

SECTION XI - TOXICOLOGICAL INFORMATION

Lethal Dose Information (ppm)	Oral	Skin	Inhale	LC50
-------------------------------	------	------	--------	------

TOXICOLOGICAL INFORMATION:
NO INFORMATION IS AVAILABLE.

SECTION XII - ECOLOGICAL INFORMATION

NO INFORMATION IS AVAILABLE.

SECTION XIII - DISPOSAL CONSIDERATIONS

RCRA CONSIDERATIONS:
THIS PRODUCT IF DISPOSED OF IN THE PURCHASED FORM IS NOT CONSIDERED RCRA HAZARDOUS.

SECTION XIV - TRANSPORT INFORMATION

UN Number	
UN Pack Group	
UN Class	
ICAO/IATA Class	NOT REGULATED
IMDG Class	NOT REGULATED
Shipping Name	PLASTIC LIQUID, NOS
ADR/RID Class	NOT REGULATED
DOT Hazard Class	
Technical Name	

SECTION XV - REGULATORY INFORMATION

TSCA STATUS:
ALL INGREDIENTS CONTAINED IN THIS PRODUCT ARE ON THE TSCA INVENTORY.

INVENTORY STATUS:
ALL THE COMPONENT(S) OF THIS PRODUCT HAVE BEEN FOUND ON THE

MATERIAL SAFETY DATA SHEET

MSDS Name: DOUBLE BUBBLE RED PACKAGE (NON-SAG)

MSDS Number: 16580#1

Version Number F

MSDS Date: JUN-20-2005

Page Number: 6 of 7

FOLLOWING INVENTORIES:

UNITED STATES

ALL THE COMPONENT(S) OF THIS PRODUCT HAVE NOT YET BEEN IDENTIFIED ON THE FOLLOWING INVENTORIES:

EUROPE

CANADA

AUSTRALIA

JAPAN

KOREA

CHINA

PHILIPPINES

SCHEDULE B NUMBER:

3506.91.0000 IS THE SCHEDULE B EXPORT CLASSIFICATION NUMBER.

PROPOSITION 65 INFORMATION:

04008 PART A CONTAINS CHEMICALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER/REPRODUCTIVE TOXICITY.

106-89-8	EPICHLOROHYDRIN	<1 PPM
122-60-1	PHENYL GLYCIDYL ETHER	<6 PPM

SECTION XVI - OTHER INFORMATION

DISCLAIMER:

ALTHOUGH THE INFORMATION AND RECOMMENDATIONS SET FORTH HEREIN (HEREINAFTER "INFORMATION") ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE CORRECT AS OF THE DATE HEREOF, ROYAL ADHESIVES & SEALANTS LLC MAKES NO REPRESENTATIONS AS TO THE COMPLETENESS OR ACCURACY THEREOF. INFORMATION IS SUPPLIED UPON THE CONDITION THAT THE PERSONS RECEIVING SAME WILL MAKE THEIR OWN DETERMINATION AS TO ITS SUITABILITY FOR THEIR PURPOSES PRIOR TO USE. IN NO EVENT WILL ROYAL ADHESIVES & SEALANTS LLC BE RESPONSIBLE FOR DAMAGES OF ANY NATURE WHATSOEVER RESULTING FROM THE USE OF OR RELIANCE UPON INFORMATION. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESSED OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OF ANY NATURE ARE MADE HERE-UNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH INFORMATION REFERS.

MATERIAL SAFETY DATA SHEET

MSDS Name: DOUBLE BUBBLE RED PACKAGE (NON-SAG)
MSDS Number: 16580#2
Version Number: F
MSDS Date: JUN-20-2005
Page Number: 1 of 6

SECTION I - PRODUCT AND COMPANY INFORMATION

Product Name: DOUBLE BUBBLE RED PACKAGE (NON-SAG)
Hazard Rating: Health: 2 Fire: 1 Reactivity: 0 PPI:

Company Identification: ROYAL ADHESIVES & SEALANTS LLC
600 CORTLANDT STREET
BELLEVILLE NJ 07109-3384

Contact: BRUCE WEINMAN
Telephone/Fax: (973) 751-3000 (973) 751-8407
Emergency Phone (24 Hour): ENVIRONMENTAL SPECIALIST
(973) 751-3000
Chemtrec (24 Hour): (800) 424-9300
Preparer: B. WEINMAN
ENVIRONMENTAL SPECIALIST

Product Class: MERCAPTAN-TERMINATED POLYMER
Trade Name: NON-SAG EXTRA FAST SETTING
Product Code: (04008) PART B

SECTION II - INGREDIENT AND HAZARD INFORMATION

Hazardous Ingredients	CAS Number
MERCAPTAN TERMINATED POLYMER	TRADE SECRET
TERTIARY AMINE	TRADE SECRET
AMORPHOUS SILICA	TRADE SECRET
POLYDIMETHYLSILOXANE	TRADE SECRET

*** ALL Ingredients in this product are listed in the T.S.C.A. Inventory

SECTION III - HAZARDS IDENTIFICATION

EYE CONTACT:
CORROSIVE TO THE EYES AND MAY CAUSE SEVERE DAMAGE INCLUDING
BLINDNESS. VAPORS MAY BE IRRITATING.

MATERIAL SAFETY DATA SHEET

MSDS Name: DOUBLE BUBBLE RED PACKAGE (NON-SAG)

MSDS Number: 16580#2

Version Number F

MSDS Date: JUN-20-2005

Page Number: 2 of 6

SKIN CONTACT:

MAY CAUSE SEVERE SKIN IRRITATION. CORROSIVE ON PROLONGED CONTACT.
SLIGHTLY TOXIC BY SKIN ABSORPTION.

INHALATION:

SLIGHTLY TOXIC. CAN CAUSE IRRITATION OF RESPIRATORY TRACT. OVER
EXPOSURE TO VAPOR OR FUMES MAY CAUSE DELAYED LUNG DAMAGE AND
CHEMICAL PNEUMONIA.

INGESTION:

SLIGHTLY TOXIC. INGESTION MAY CAUSE FATIGUE, MUSCULAR WEAKNESS,
LABORED BREATHING AND IRRITATION OF GASTRO-INTESTINAL TRACT.

NOTES TO PHYSICIAN:

GASTRIC LAVAGE MAY BE CONSIDERED DEPENDING ON DEGREE OF MUCOSAL
DAMAGE. TREATMENT FOR SHOCK, RESPIRATORY DEPRESSION AND CONVULSIONS
MAY BE NECESSARY.

OVER-EXPOSURE HEALTH HAZARD INFORMATION:

ACUTE: SEVERE BURNS TO SKIN, EYES, RESPIRATORY AND GASTROINTESTINAL
TRACTS. CHRONIC: DEMATITIS, DELAYED LUNG INJURY, CHEMICAL PNEUMONIA

HEALTH HAZARD INFORMATION:

CARCINOGENICITY:

THE MATERIALS USED IN THE MANUFACTURE OF THIS PRODUCT ARE NOT FOUND
ON THE OSHA, IARC OR NTP LISTS OF CARCINOGENS.

SECTION IV - FIRST AID MEASURES

EYE CONTACT:

FLUSH THOROUGHLY WITH WATER FOR AT LEAST 15 MINUTES WHILE LIFTING
UPPER AND LOWER EYE LIDS. GET IMMEDIATE MEDICAL ATTENTION.

SKIN CONTACT:

WIPE EXCESS FROM SKIN AND FLUSH WITH WATER FOR AT LEAST 15 MINUTES.
GET MEDICAL ATTENTION. LAUNDER CLOTHING, DISCARD LEATHER CLOTHING.

INHALATION:

REMOVE PERSON TO FRESH AIR AND CALL A PHYSICIAN. PREVENT ASPIRATION
OF VOMIT BY TURNING VICTIMS HEAD TO THE SIDE.

INGESTION:

DO NOT INDUCE VOMITING. ADMINISTER 3-4 GLASSES OF MILK OR WATER.
GET IMMEDIATE MEDICAL ATTENTION. NOTHING BY MOUTH IF VICTIM IS
DROWSY, CONVULSING, OR UNCONSCIOUS.

SECTION V - FIRE-FIGHTING MEASURES

Flammability Class

IIIB

Flash Range:

Not Available

MATERIAL SAFETY DATA SHEET

MSDS Name: DOUBLE BUBBLE RED PACKAGE (NON-SAG)

MSDS Number: 16580#2

Version Number F

MSDS Date: JUN-20-2005

Page Number: 3 of 6

Pensky-Martens Closed Cup ASTM D 93
270F

Explosive Range: Not Available

FIRE-FIGHTING MEASURES:

WATER FOG, DRY CHEMICAL, FOAM, CARBON DIOXIDE.

DO NOT ENTER CONFINED FIRE SPACE WITHOUT FULL BUNKER GEAR (HELMET WITH FACE SHIELD, BUNKER COATS, GLOVES AND RUBBER BOOTS), INCLUDING A POSITIVE PRESSURE NIOSH APPROVED SELF-CONTAINED BREATHING APPARATUS (SCBA).

COOL FIRE EXPOSED CONTAINERS WITH WATER.

SECTION VI - ACCIDENTAL RELEASE MEASURES

SPILLS:

ABSORB LIQUID MATERIAL AND PLACE IN CONTAINER FOR DISPOSAL. COMPLY WITH LOCAL, STATE, AND FEDERAL EPA REGULATIONS.

SECTION VII - HANDLING AND STORAGE

STORAGE CONDITIONS:

STORE IN A COOL, DRY PLACE. KEEP AWAY FROM OPEN FLAMES AND HIGH TEMPERATURES.

SECTION VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

	ACGIH TLV	ACGIH TLV-C	ACGIH STEL	OSHA STEL	OSHA PEL
MERCAPTAN TERMINATED POLYMER	N/est	N/est	N/est	N/est	N/est
TERTIARY AMINE	N/est	N/est	N/est	N/est	N/est
AMORPHOUS SILICA	15.0000 mg/M3	N/est	N/est	N/est	15.0000 mg/M3
POLYDIMETHYLSILOXANE	N/est	N/est	N/est	N/est	N/est

PERSONAL PROTECTIVE EQUIPMENT:

IN THE ABSENCE OF PROPER ENVIRONMENTAL CONTROL OR VENTILATION,

MATERIAL SAFETY DATA SHEET

MSDS Name: DOUBLE BUBBLE RED PACKAGE (NON-SAG)
MSDS Number: 16580#2
Version Number: F
MSDS Date: JUN-20-2005
Page Number: 4 of 6

WEAR A RESPIRATOR APPROVED BY NIOSH/MSHA WHENEVER EXPOSED TO FUMES OR VAPORS. COMPLY WITH OSHA 1910.134 (CFR). SELF-CONTAINED BREATHING APPARATUS IN HIGH CONCENTRATIONS. LOCAL EXHAUST IS RECOMMENDED. USE CHEMICAL RESISTANT PROTECTIVE GLOVES, CHEMICAL SPLASH GOGGLES. CHEMICAL RESISTANT PROTECTIVE CLOTHING TO MINIMIZE EXPOSURE; CHEMICAL SPLASH APRON, FULL FACE SHIELD. EYE WASH STATION AND SAFETY SHOWER SHOULD BE AVAILABLE FOR EMERGENCY USE.

SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

Form:	LIQUID
Appearance/Color:	OFF-WHITE
Odor:	MERCAPTAN
Boiling Range:	Not Available
Vapor Pressure (mmHg):	Not Available
Melting Point:	Not Applicable
Evaporation Rate:	Unavailable
% Volatile	Not Available
Specific Gravity:	1.15

SECTION X - STABILITY AND REACTIVITY

Stability: This product is stable
Hazardous Polymerization: Hazardous polymerization will not occur

REACTIVITY:

INCOMPATIBILITY:

OXIDIZING AGENTS, CLEANING SOLUTIONS SUCH AS CHROMERGE/AQUA REGIA. STRONG MINERAL AND LEWIS ACIDS. HALOGENATED ORGANIC COMPOUNDS.

CONDITIONS TO AVOID:

HIGH TEMPERATURES.

HAZARDOUS DECOMPOSITION PRODUCTS:

CARBON MONOXIDE, CARBON DIOXIDE, NITROGEN OXIDES, AMMONIA, HYDROGEN SULPHIDE, OXIDES OF SULPHUR.

SECTION XI - TOXICOLOGICAL INFORMATION

Lethal Dose Information (ppm)	Oral	Skin	Inhale	LC50
-------------------------------	------	------	--------	------

TOXICOLOGICAL INFORMATION:

MATERIAL SAFETY DATA SHEET

MSDS Name: DOUBLE BUBBLE RED PACKAGE (NON-SAG)

MSDS Number: 16580#2

Version Number F

MSDS Date: JUN-20-2005

Page Number: 5 of 6

NO INFORMATION IS AVAILABLE.

SECTION XII - ECOLOGICAL INFORMATION

NO INFORMATION IS AVAILABLE.

SECTION XIII - DISPOSAL CONSIDERATIONS

RCRA CONSIDERATIONS:

THIS PRODUCT IF DISPOSED OF IN THE PURCHASED FORM IS NOT CONSIDERED RCRA HAZARDOUS.

SECTION XIV - TRANSPORT INFORMATION

UN Number

UN Pack Group

UN Class

ICAO/IATA Class

NOT REGULATED

IMDG Class

NOT REGULATED

Shipping Name

PLASTIC LIQUID, NOS

ADR/RID Class

NOT REGULATED

DOT Hazard Class

Technical Name

SECTION XV - REGULATORY INFORMATION

TSCA STATUS:

ALL INGREDIENTS CONTAINED IN THIS PRODUCT ARE ON THE TSCA INVENTORY.

INVENTORY STATUS:

ALL THE COMPONENT(S) OF THIS PRODUCT HAVE BEEN FOUND ON THE FOLLOWING INVENTORIES:

UNITED STATES

ALL THE COMPONENT(S) OF THIS PRODUCT HAVE NOT YET BEEN IDENTIFIED ON THE FOLLOWING INVENTORIES:

EUROPE

CANADA

AUSTRALIA

JAPAN

MATERIAL SAFETY DATA SHEET

MSDS Name: DOUBLE BUBBLE RED PACKAGE (NON-SAG)

MSDS Number: 16580#2

Version Number F

MSDS Date: JUN-20-2005

Page Number: 6 of 6

KOREA

CHINA

PHILIPPINES

SCHEDULE B NUMBER:

3506.91.0000 IS THE SCHEDULE B EXPORT CLASSIFICATION NUMBER.

PROPOSITION 65 INFORMATION:

04008 PART B DOES NOT CONTAIN ANY CHEMICAL, KNOWN BY THE STATE OF CALIFORNIA, TO CAUSE CANCER/REPRODUCTIVE TOXICITY.

SECTION XVI - OTHER INFORMATION

DISCLAIMER:

ALTHOUGH THE INFORMATION AND RECOMMENDATIONS SET FORTH HEREIN (HEREINAFTER "INFORMATION") ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE CORRECT AS OF THE DATE HEREOF, ROYAL ADHESIVES & SEALANTS LLC MAKES NO REPRESENTATIONS AS TO THE COMPLETENESS OR ACCURACY THEREOF. INFORMATION IS SUPPLIED UPON THE CONDITION THAT THE PERSONS RECEIVING SAME WILL MAKE THEIR OWN DETERMINATION AS TO ITS SUITABILITY FOR THEIR PURPOSES PRIOR TO USE. IN NO EVENT WILL ROYAL ADHESIVES & SEALANTS LLC BE RESPONSIBLE FOR DAMAGES OF ANY NATURE WHATSOEVER RESULTING FROM THE USE OF OR RELIANCE UPON INFORMATION. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESSED OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OF ANY NATURE ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH INFORMATION REFERS.